

Index

= assignment operator, 126
== comparison operator, 126

A

Absolute value, 136
Abstract class, 605-619, 681
Abstract data type, 862
abstract keyword, 606, 680, 681
 example, 606, 609, 640, 680
Abstract method, 606, 680, 681
Accessing elements of an array, 516
 of a two-dimensional array, 554
Accessor method, 473, 483, 486, 685, 897,
 930
Account class, 471
Ada, 41
Adding (to a data structure),
 to a binary search tree, 834
 to a linked list, 755
Addition, 104
AddNumbers program, 786
AddRemove program, 772
Ages program, 222
AGP port, 9
Algorithm, 42
 efficiency, 653-657
 speed, 653-657
Aliasing, 366-370
AMD, 6
Analysis, 170
 definition, 41
 object oriented, 51
 of *LetterA*, 209
 of *QuadraticInput*, 171
 of *TermDeposit*, 175
Ancestor, 810
AND logical operator, 127
AnimateBackImage program, 601
AnimateCircles program, 584
AnimateImage program, 600
AnimateShapes program, 591
Animation, 582-614
 over a background image, 601-602

Animator class, 583-585, 588, 640, 977
 examples using, 584, 589, 591, 600, 601,
 613, 641
 interface, 583, 977
Anti-virus software, 25
AP computer science subset, xix
Applet, 55
Application, 10, 11, 53
 template for, 68
Architecture, 42
Argument, 67
ArithmeticException, 140
Array, 513-564
 accessing an element, 516
 common errors with, 522
 creating, 514
 declaring, 514
 deletion from, 545-548
 initializing, 520
 insertion in, 539-544
 length field, 521
 of strings, 518
 operation on, 539-551
 property of, 752
 related, 523-530, 543
 two-dimensional, 552-563
 accessing elements, 554
 creating, 553
 declaring, 552
ArrayIndexOutOfBoundsException,
 522
ArrayList class, 666-669, 874-877, 952
 examples using, 667, 668, 669, 875
 interface, 667, 874, 952
ArrayListSort program, 875
ArrayPriorityQueue class, 943
ArrayStack class, 914
Assembler, 36
Assembly language, 36
assert statement, 696-698
Assertion, 695
Assignment statement, 78-84
Autodecrement, 115
Autoincrement, 115
AverageMarks program, 445

B

Backslash, 120
 Balanced tree, 828
 Bank simulation, 928-940
BankArrayTest program, 530-535
BankSim class, 929
BankSim example, 928-940
BankSimTest program, 937
BankTest1 program, 471
BankTest2 program, 484
BankTest3 program, 490-501
 Base case, 621, 622, 629, 733
 Base data type, 514
 BASIC, 37
 BEDMAS, 109
 Beta testing, 42
 Big-O notation, 656-657
 Binary operator, 105
 Binary search, 670-679
 generic, 681
 of linked list, 768
 tracing execution of, 672-675
 Binary search tree, 826-843
 Binary tree, 810, 811-820
BinaryStore class, 688
Birthdays program, 650-653
Birthplace main program, 686
Birthplace program, 684-693
Birthplace2 program, 713
Birthplace3 main program, 801
Birthplace3 program, 794-804
 Bit, 6
 Black box, 45
Book class, 607, 896
 Boolean, 72
 condition, 236
 expression, 125-131
 Boolean class, 663, 682, 953
boolean data type, 72, 75, 86
Bounceable class, 609, 979
BounceableCircle class, 612
BounceableHappyFace class, 615
BounceableSquare class, 611
BounceShapes program, 613
BracketMatch program, 918
 Brackets, matching, 917-921

break statement, 260-263, 266, 301-305
 examples using, 264, 301, 309, 544, 687,
 767, 773, 786, 842, 853, 871, 945
 Bucket, 793
 BufferedReader class, 162, 953
 Bug, 34
byte data type, 76
 Byte, 6
 Bytecode, 32

C

C, 37
 C++, 38
 Cache, 5
CalcAverage program, 295
CalcSum program, 293
 Call stack, 425-428
 Carriage-return, 67
 Case sensitivity, 69
case statement, 261
 Case study, xx
 Casting, 86
catch, 636
 CD, 6
 Chaining, 793-804
char data type, 75, 87
 Character, 663, 919, 953
 example using, 918
 charAt method (*String* class), 382-386
 tracing execution of program using, 384-
 386
CharAtExample program, 382
CheckIdentical program, 372
CheckOrder program, 375
 Child node, 809
 Circuit, 809
 Circularly linked list, 792
 Clarity, 181
 Class, 50
 abstract, 606
 creating, 465-505
 declaration, 63
 field of a, 467-469
 finding, 474, 483
 hierarchy, 615, 658
 location, 474, 483
 making available to students, 1008

- Class (continued)
 - naming convention, 63
 - using multiple, 684-693, 774-785, 794-804, 894-908
 - Class constant, 447
 - Class method, 213
 - using, 212-216
 - Class variable, 445-448
 - `ClassCastException`, 660, 692, 863
 - `CLASSPATH`, 193, 1008-1009
 - Client, 15
 - Client-server architecture, 14
 - COBOL, 37
 - Code re-use, 546
 - Code, 31
 - Collision, 701, 704-706
 - handling using chaining, 793-804
 - `Color` class, 205, 506, 586, 590, 598, 954
 - example using, 303, 505, 587, 590, 598, 604, 641
 - Combining, 733
 - Comment, 181
 - Commenting out, 182
 - Comparable **interface**, 680-682, 685, 688, 690, 720, 762, 777, 791, 829, 883, 954
 - `compareTo` method (`String` class), 374-381, 541, 720
 - `compareToIgnoreCase` method (`String` class), 381
 - Comparison operator, 125
 - Compatibility, 55
 - Compiler, 31
 - Compiler-interpreter, 32
 - Compile-time error, 34, 69, 84, 89-92, 453, 1002
 - Compound assignment operator, 113
 - Computer addiction, 26
 - Computer program, 10
 - Computer programming 29
 - Computer usage, 23-26
 - responsible, 23-26
 - safe, 26
 - Concatenating a string with a non-string, 122
 - Concatenation, 121
 - tracing execution of program using, 392-394
 - Conditional loop, 293-298, 299
 - Constant, 84,
 - class, 447
 - example of, 492, 554, 637, 680, 840, 930
 - Constructor, 202, 476-478
 - default, 477
 - Constructors, Inheritance, 578
 - Convention, xxv
 - Conversion of a string to an integer, 636
 - `Convert` program, 88
 - Corner case, 337, 340, 360
 - Cosine, 134
 - `CountE` program, 391
 - Counted loop, 283-293, 299
 - Counting backward, 289
 - Counting statements executed, 654
 - `CountStudents` program, 373
 - CPU, 4
 - Crash, 34
 - `CreateTree` program, 812
 - Creating a new program (in the editor), 996
 - Creating a two-dimensional array, 553
 - Creating an array, 514
 - Creating object, 196
 - Curly braces, 64
 - matching, 248
 - missing, 91
 - nested, 65
 - Currency, formatting a number as, 224
 - Cursor, 160
 - `Customer` class, 929
- ## D
- Data hiding, 45
 - Data type, 70-78
 - Database, 12
 - `Date` class, 229, 954
 - interface, 231, 954
 - Date, formatting of, 229
 - `DateFormat` class, 229, 955
 - interface, 231, 955
 - `DayOfYear` program, 523
 - Debugger, 452
 - Debugging, 449-458
 - Declaration, 70, 84, 420
 - of an array, 514
 - of a two-dimensional array, 552

Decrement, 115
default statement, 261-263
 examples using, 265, 891, 906
 Default constructor, 477
 Default value, 446
 Definition (of a method), 420
 Degenerate tree, 828
 Deleting,
 element from an array, 545-548
 item from a `List`, 867
 node from a Binary Search Tree, 838
 node from a linked list, 769-774
 Delimiter, 409
 Depth (of a tree), 810
 algorithm for, 815
 Dequeue, 924
 Design, 170
 definition, 42
 of *BankArrayTest*, 531
 of *BankTest3*, 490-491
 of *Birthdays*, 650
 of classes in *Birthplace* program, 684-685
 of *FindThe*, 400-402
 of *LetterA*, 209
 of *Mortgage*, 341-352
 of *PhoneBookExample*, 324-333
 of *QuadraticInput*, 171
 of *SalesReport1*, 556
 of *TermDeposit*, 175
 techniques, 44
 Digital divide, 21
 DIMM, 6
 Disk File (see File)
 Divisible, 240
 Division, 104
 integer, 106
 DNS server, 17
do loop, 296-298
 example of, 303, 310, 373, 430, 504
 Double buffering, 582
 Double class, 666, 955
 interface, 666, 955
double data type, 72, 73
 casting, 86
 Double quote, 120
 Double.parseDouble, 636
 DoubleListNode class, 788

Doubly linked list, 787-792
 Dragon curve, 639-645
DragonCurve class, 641-643
DragonCurveTest program, 643
 drawArc method (Graphics class), 593
DrawBigSquare program, 216
DrawBoxes program, 463
 drawImage method (Graphics class), 597
 Drawing a frame, 583
 Drawing surface, 591
 drawLine method (Graphics class), 592
 drawOval method (Graphics class), 593
 drawPolygon method (Graphics class), 594
 drawRect method (Graphics class), 592
DrawRectangle program, 435
 drawRoundRect method (Graphics class), 593
DrawShapes program, 424
DrawSquare program, 208
 drawString method (Graphics class), 597
 Driver, 483
 Dumb terminal, 13
 DVD, 6

E

Echoer program, 926
EchoNames program, 864
 Efficiency, of algorithm, 653-657
 of binary search, 678
 of hashing, 715
 of heapsort, 852
 of insertion sort, 731
 of linear search, 656
 of quicksort, 741
 of selection sort, 727
 Electronic mail, 12
 Else clause, 242, 243
 E-mail, 12
 Embedded computer, 3
 Empty tree, 809
 Encapsulation, 45
EndsWith program, 387
 English, 30
 Enqueue, 924
 Equality in string, 370-374

- equals method (String class), 371-374
 - equals method, 662
 - equalsIgnoreCase method (String class), 374, 946
 - Ergonomically correct, 26
 - Errata, xxi
 - Error message, 89
 - Error, 34-35
 - common, 89-91
 - compile-time, 34, 69, 84, 89-92, 453, 998
 - common, 475
 - debugging, 449-458
 - logic, 34
 - run-time (see also Exception), 34, 140, 921,
 - using classes, 475
 - Evaluation, of expression, 633
 - using a tree, 822-826
 - Evaluator* program, 637
 - EvenNumber* program, 297
 - Exception is thrown, 636
 - Exception, 140, 636
 - ArithmeticException, 140
 - ArrayIndexOutOfBoundsException, 522
 - ClassCastException, 660, 692, 863
 - IllegalStateException, 922
 - IndexOutOfBoundsException, 863, 864, 922, 948
 - IOException, 163
 - NoSuchElementException, 922
 - NullPointerException, 373, 450, 456, 522
 - NumberFormatException, 636, 664, 666, 707, 825
 - StringIndexOutOfBoundsException, 383
 - throwing, 921
 - Exhaustive testing, 337, 339, 355
 - Expensive, 752
 - Exponential notation, 85
 - Exponentiation, 137
 - Expression evaluator, 633, 822-826
 - Expression* program, 107
 - Expression, 103
 - Boolean, 125-131
 - converting to multiple statements, 112
 - mathematical, 103-107
 - string, 121
 - ExpressionTree* program, 824
 - extends** keyword, 573, 578, 591, 607, 611, 618, 641, 481
- ## F
- Fair use, 22
 - false**, 75, 125
 - Field, 217, 467-469
 - File,
 - reading from, 982
 - writing to, 983
 - File name, 64, 575
 - fillArc method (Graphics class), 596
 - fillOval method (Graphics class), 595
 - fillPolygon method (Graphics class), 596
 - fillRect method (Graphics class), 594
 - fillRoundRect method (Graphics class), 595
 - final** (see Constant)
 - FindE* program, 456
 - Finding,
 - a string in a string, 395
 - characters in a string, 390-395
 - Finding classes, 474, 483
 - FindPrimes* program, 884
 - FindQuote* program, 388
 - FindQuote2* program, 394
 - FindThe* program, 399-403
 - FindThe2* program, 411
 - FinnishCapital* program, 370
 - FireWire port, 9
 - FirstLastWord* program, 379
 - Floating-point number, 70, 72
 - Floppy disk, 8
 - Flow of execution, 237
 - Flowchart, 237
 - Following code, 109
 - Font class, 598, 603, 641, 956
 - Font, 602
 - FontMetrics class, 956
 - for** loop, 283-293, 299
 - tracing execution of, 289-290
 - FormatDate* program, 230

Formatted text output, 216-231

 currency, 224

 date, 229

Fortran, 37

Full coverage, 337-339, 340, 356-358

Full path, 337-339, 358-360

Fully qualified class name, 192, 474

Function, 116

 absolute value, 136

 exponentiation, 137

 mathematical, 131-139

 maximum, 137

 minimum, 137

 random number, 138

 rounding, 131

 square root, 135

 table of mathematical, 139

 trigonometric, 134

G

General use, 337, 339, 355

Generic algorithm, 661

Generic data structure, 682

Genericity, 657-669

GeographyQuiz program, 264

getCurrencyInstance method

 (*NumberFormat* class), 560

GIF, 600

Gigabyte, 7

GradeComment program, 451

Graphic, 12

Graphical Sorting 741-747

Graphics class, 583, 586, 591-600, 640,

 957

Graphics files, loading and displaying, 600

GreekLetter program, 521

GreekLetter2 program, 522

GuessFlag program 254

GuessNumbers program, 675

H

Hacking, 23

Hanoi program, 630

Hardware, 3-9

Hash, 700

 bucket, 793

 function, 700

 table, 700

 value, 700

hashCode method (*Object* class), 711

 example of, 692, 712

HashEntry class, 795

Hashing, 700-715

 function, 700, 702-703

 handling collisions, 704

 using chaining, 793-804

 using linear probing, 704-706

HashIterator class, 796

HashLinkedList class, 796

HashMap class, 888, 958

HashSet class, 882, 959

HashStore class, 711

HashTable class, 798

Head,

 of a linked list, 755, 785

 of a queue, 923

Heap, 844

HeapSort program, 850

Heapsort, 843-854

Hello program, 421

Helper classes, xix

Helper method, 478

Helsinki, 370

High-level language, 36

hsa package, 972

hsa.Animator (see *Animator*)

hsa.Bounceable (see *Bounceable*)

hsa.Moveable (see *Moveable*)

hsa.Paintable (see *Paintable*)

hsa.PaintBug (see *PaintBug*)

hsa.PhoneBook (see *PhoneBook*)

hsa.Stdin (see *Stdin*)

hsa.Stdout (see *Stdout*)

hsa.TreeUtil (see *TreeUtil*)

hsa.VisibleHanoi (see *VisibleHanoi*)

hsa.VisualSortUtil (see

VisualSortUtil)

HTTP, 16

Hypotenuse program, 136

I

- IbeforeE* program, 396
- IBM, 6
- IDE, 12
- Identity theft, 20
- IEEE 754, 74
- If clause, 236, 239
- if** construct, 235-241
- if-else** construct, 241-247
- If-then structure, 235-241
- If-then-else structure, 241-247
- IllegalStateException*, 922
- Image* class, 583, 597, 600, 959
- Immutable type, 367
- Implementation, 170
 - definition, 42
 - of *BankArrayTest*, 531
 - of *BankTest3*, 492-500
 - of *Birthdays*, 650
 - of classes in *Birthplace* program, 684
 - of *FindThe*, 402
 - of *LetterA*, 210
 - of *Mortgage*, 352-354
 - of *PhoneBookExample*, 333
 - of *QuadraticInput*, 171
 - of *TermDeposit*, 176
- implements** keyword, 681, 690, 777, 829, 943
- import** statement, 191-192, 474, 479
- ImprovedAccount* class, 476-483
 - interface, 480
- Increment, 115
- Indentation style, 258
- Indented, 66
- Indenting a program, 999
- Index variable, 283
- Index, 514
- indexOf* method (*String* class), 390-397
- IndexOutOfBoundsException*, 863, 864, 922, 948
- Information revolution, 20
- Inheritance, 565-617
 - constructors not inherited, 578
- Initial value, 283
- Initialized, 86
- Initializing an array. 520
- In-order traversal, 820
- Input, 8
 - from keyboard, 162-170
- InputStreamReader* class, 162, 960
- Inserting,
 - node in a Binary Search Tree, 834
 - node in a linked list, 762-768
 - an element into an array, 539-544
- Insertion sort, 728-732
- InsertionSort* program, 730
- Instance, 51
 - method, 469
 - variable, 467
- instanceof** operator, 692
- Instantiation, 50, 196
- int** data type, 72
- Integer* class, 663-665, 667, 772, 786, 960
 - interface, 663, 960
- Integer, 72
 - division, 106
- Integer.parseInt*, 636, 707
- Integrated development environment, 12
- Integration testing, 448
- Intel, 6
- Intellectual property, 22
- Interface, 11, 45, 201
- interface**, 680
- Intermediate output, 452
- Internet relay chat, 16
- Internet, 16, 24
- Interpreter, 32
- Invariant, 698
- IOException* class, 163, 960
- IP address, 16
- IRC, 16
- Item* class, 606
- iterate, 284
- Iterator* **interface**, 864-869, 882, 889, 960
 - example using, 868, 875, 879, 884, 890, 989, 900
 - interface, 865, 960

J

- Java applet, 55
- Java application, 53
- Java class library, data structures, 861-908
- Java Virtual Machine, 33, 54

Java, 39

java.awt.Color (see Color)
 java.awt.Font (see Font)
 java.awt.FontMetrics (see
 FontMetrics)
 java.awt.Graphics (see Graphics)
 java.awt.Image (see Image)
 java.awt.Toolkit (see Toolkit)
 java.io.BufferedReader (see
 BufferedReader)
 java.io.InputStreamReader (see
 InputStreamReader)
 java.io.IOException (see
 IOException)
 java.lang.ArithmeticException (see
 ArithmeticException)
 java.lang.ArrayIndexOutOfBoundsException
 (see ArrayIndexOutOfBoundsException)
 java.lang.Boolean (see Boolean)
 java.lang.Character (see Character)
 java.lang.ClassCastException (see
 ClassCastException)
 java.lang.Comparable (see
 Comparable)
 java.lang.Double (see Double)
 java.lang.IllegalStateException
 (see IllegalStateException)
 java.lang.IndexOutOfBoundsException
 (see IndexOutOfBoundsException)
 java.lang.Integer (see Integer)
 java.lang.Math (see Math)
 java.lang.NullPointerException
 (see NullPointerException)
 java.lang.NumberFormatException
 (see NumberFormatException)
 java.lang.Object (see Object)
 java.lang.RuntimeException (see
 RuntimeException)
 java.lang.String (see String)
 java.lang.StringBuffer (see
 StringBuffer)
 java.lang.StringIndexOutOfBoundsException
 (see StringIndexOutOfBoundsException)
 java.lang.System (see System)
 java.text.DateFormat (see
 DateFormat)
 java.text.NumberFormat (see
 NumberFormat)

java.util.ArrayList (see ArrayList)
 java.util.Date (see Date)
 java.util.HashMap (see HashMap)
 java.util.HashSet (see HashSet)
 java.util.Iterator (see Iterator)
 java.util.LinkedList (see
 LinkedList)
 java.util.List (see List)
 java.util.ListIterator (see
 ListIterator)
 java.util.Locale (see Locale)
 java.util.Map (see Map)
 java.util.NoSuchElementException
 (see NoSuchElementException)
 java.util.Random (see Random)
 java.util.Set (see Set)
 java.util.StringTokenizer (see
 StringTokenizer)
 java.util.TreeMap (see TreeMap)
 java.util.TreeSet (see TreeSet)
JavaScript, 41
Job deskilling, 21
Jobs program, 944
JPEG, 600
Jump table, 263
JVM, 33, 54

K

Key, 649, 682
Keyboard port, 9
Key-value pair, 682, 829, 887
Keyword, 63, 951
Kilobyte, 6

L

Language, 36
 assembly, 36
 high-level, 36
 low-level, 36
 programming, 40
LastNameLookup program, 890
Leaf, 810
length field, 521
length method (String class), 381
LengthExample program, 381
LetterA program, 208-212

Librarian program, 905
 Library automation system, 51
Library class, 900
LibraryCard class, 897
 Life cycle, 41-44
 Linear probing, 704-706
 Linear search, 649-655
 speed, 653
 Lines, long, 67
 Link part, 752
 Link, 31
 Linked list, 751-805
 adding to end, 785
 binary search of, 768
 circularly, 792
 deletion, 769-774
 Doubly, 787-792
 insertion, 762-768
 optimizing, 785-793
 properties of, 752
 searching, 755-762
 sorted, 766, 778
 storing, 755
 LinkedList class, 878-881, 961
 interface, 878, 961
LinkedListTest program, 879
 Linux, 11
 Lisp, 37
 List (in Java class library), 861-873
 List **interface**, 862-864, 962
 interface, 862, 962
 ListIterator **interface**, 869-873, 962
 interface, 869, 962
ListNames program, 766
ListNode class (AP class), 753, 970
 interface, 752, 970
ListQueue class, 926
 Literal, 79
 String, 365-366
loadImage method (*Animator* class), 600
 Loading graphics files, 600
 Local variable, 423
 Locale, 227, 578, 579, 962
 Logic error, 34
 Logical operator, 127
 LOGO, 37
long data type, 76, 87
 Long lines, 67

Loop, 281-310
 breaking out of, 300-305
 conditional, 293-298
 counted, 283-293
 tracing execution of, 289-290
 invariant, 698
 nesting, 305-310
 tracing execution of, 307-309
 restructuring, 305
 statement, 283
 Low-level language, 36

M

Mac OS X, 11
 Machine code, 30
 Machine language, 30
 program, 31
 Machine-independent, 33
 Main memory, 6
 Main method, 64
 Mainframe, 2
 Maintenance, 43
MakeCountDown program, 407
MakeCrash program, 140
 Map (in Java class library), 887-894
 Map **interface**, 888-894, 963
 interface, 888, 963
 Map, 887
 Mapped, 700
 Math class, 963
 interface, 213, 963
 Math.abs method, 136
 Math.ceil method, 131
 Math.cos method, 134, 511, 643
 Math.floor method, 131
 Math.max method, 137
 Math.min method, 137
 Math.PI constant, 134
 Math.pow method, 137
 Math.random method, 138, 200, 298, 303,
 428, 430, 558, 613
 Math.round method, 87, 116, 131
 Math.sin method, 134, 292, 511, 643
 Math.sqrt method, 135
 Math.tan method, 134
 Math.toRadians method, 134, 292, 511,
 643

- Mathematical,
 - expression, 103-107
 - function, 131-139
 - operator, 104-107
 - Maximum time, 657
 - Maximum, 137
 - Megabyte, 6
 - Merge sort, 732-737
 - MergeSort* program, 735
 - Method call, 417
 - syntax, 198
 - tracing execution of, 431-434
 - Method, 159, 417-458
 - abstract, 606
 - advantages, 422
 - calling within a class, 479
 - class, 213
 - using, 212-216
 - declaration, 420
 - definition, 420
 - helper, 478
 - instance, 469
 - using 198-211
 - naming convention, 198
 - object, 469
 - using 198-211
 - order, 423
 - overloading, 160, 573
 - overriding, 570-580
 - returning objects, 442
 - static**, 422
 - tracing, 431
 - using, 198-211
 - with parameters, 434-445
 - without parameters, 420-434
 - MethodTest* program, 431
 - Microcomputer, 3
 - Microsoft windows, 11
 - Middleware, 39
 - Minicomputer, 2
 - Minimum, 137
 - MinMax* program, 137
 - Modulo, 105
 - Mortgage* program, 341-361
 - Motherboard, 4
 - Motorola, 6
 - Mouse port, 9
 - Moveable* class, 585-590, 978
 - interface, 585, 978
 - MoveableHappyFace* class, 605
 - MoveableHello* class, 604
 - MoveableImage* class, 601
 - MoveableSquare* class, 590
 - MoveableStar* class, 598
 - MoveInSquare* program, 589
 - MP3, 6
 - MultiBug* class, 502, 505
 - interface, 503
 - Multiple class program, 684-693, 774-785, 794-804, 894-908, 1003
 - Multiple inheritance, 679
 - Multiple user system, 13
 - MultipleRandomWalk* program, 310
 - Multiplication, 104
 - Multi-way selection, 252
 - Mutual recursion, 632-639
 - MyAddressBook* class, 572-575
 - interface, 574
 - MyAddressBookExample* program, 575
 - MyCollection* program, 608
 - MyPhoneBook* class, 570-572
 - interface, 570
- ## N
- Name* class, 690
 - Naming convention,
 - class, 63
 - constant, 84
 - method, 198
 - variable, 71
 - NaN, 141
 - Nested curly braces, 65
 - Nested if, 247-258
 - Nested loop, 305
 - tracing execution of, 307-309
 - Network, 14
 - protocol, 16
 - new** keyword, 514
 - Newline, 67, 120
 - NewNumbers* program, 81
 - Node, 751, 809
 - Non-english alphabet, 377
 - NoSuchElementException*, 922
 - NOT logical operator, 127

Null statement, 239, 293
 NullPointerException, 373, 450, 456, 522
 NumberFormat class, 223, 343, 560, 579, 964
 example using, 225, 287, 352, 481, 578
 interface, 228, 964
 NumberFormatException, 636, 664, 666, 707, 825
 NumberProperties program, 239
 NumDigits program, 247
 NumDigits2 program, 252

O

O(1), 656, 700
 O(log n), 656, 679
 O(n), 656, 732, 788
 O($n \log n$), 656, 737, 741, 852
 O(n^2), 656, 728, 731
 Oak, 39
 Object class, 658-660, 682, 711, 818, 964
 data structures using, 667, 688, 712, 753, 788, 798, 811, 829, 862, 878, 882, 888, 913, 926
 interface, 659, 964
 methods of, 662-663
 use with generic algorithms, 661
 Object, 45, 47-50
 creation, 196
 reference, 195
 Object file, 31
 Object method, 469
 using 198-211
 Object oriented, 45-53, 190, 203, 466, 682
 analysis, 51
 design, 45-53, 473
 with multiple classes, 684-693, 774-785, 794-804, 894-908
 programming, 45-53
 Object variable, 193, 467
 Offscreen bitmap, 582
 OneToTen program, 302
 Operand, 5, 105
 Operating system, 10
 Operations on array, 539-551
 Operator precedence, 109, 128, 988

Operator, 4, 105, 987
 addition, 104
 binary, 105
 comparison, 125
 compound assignment, 113
 division, 104
 integer, 106
 logical, 127
 mathematical, 104-107
 modulo, 105
 multiplication, 104
 relational, 125
 remainder, 104
 subtraction, 104
 unary, 105
 Optimizing linked list, 785-793
 OR logical operator, 127
 Order n , 656
 Order of operation, 109
 Output, 8
 Output, text, 157-161
 OutputTrees program, 821
 Overloading,
 a method, 573
 a constructor, 477
 Overriding method, 577-580

P

package, 479, 611
 making available to students, 1009
 Paintable class, 640, 980
 PaintBug class, 203, 975
 example using, 208, 211, 216, 298, 303, 310, 424, 430, 435, 463, 504, 505
 interface, 205, 215, 975
 Parallel port, 9
 Parameter, 201, 433-435
 Parent, 810
 Pascal, 37
 Pass by value, 437
 PassFail program, 243
 Payload, 24
 PC, 3
 PCI port, 9
 PEDMAS, 109
 Peek (at top of stack), 912
 Peer-to-peer architecture, 15

Pentium, 6
Periodical class, 607
 Peripheral, 8-10
 Perl, 41
 Personal computer, 3
 Personal date, 19
PhoneBook class, 198-199, 201-202, 975
 interface, 202, 244, 975
PhoneBookExample program, 324-335
PhoneEntry class, 776
PhoneList class, 780
PhoneListExample program, 783
 PHP, 41
 PI, 134
 Pivot value, 738
 PNG, 600
 Polymorphic, 681
 Polymorphism, 580-582, 658
 Pop (item off stack), 912
 Port, 8
 Portability, 33
 Postcondition, 694
 Post-order traversal, 820
 PowerPC, 6
 Precondition, 694, 921
 Pre-order traversal, 820
 Primary memory, 6
 Prime number, 883
 Primitive data type, 72-77, 119, 193-195,
 364
 Printing a binary search tree, 833
 Printing a program, 1000
PrintTree program, 833
 Priority queue, 940-948
PriorityQueue **interface** (AP class),
 942-948, 971
 interface, 942, 971
PriorityQueueExample program, 946
PriorityString class, 943
 Privacy advocate, 19
 Privacy, 18-20
private, 421, 445, 468, 478, 570
 Procedure, 159
Product program, 168
Product2 program, 169
 Program, 31
 design, 775
 design process, 41-44

Programming language, 31, 35-41
 Programming style, 180-184
protected, 570
 Pseudo-code, 282
public, 470
 Push (item onto stack), 912

Q

Quadratic equation, 170
QuadraticInput program, 170-175
 Queue, 923-940
Queue **interface** (AP class), 925-940,
 971
 interface, 926, 971
QueueExample program, 926
Quicksort program, 739
 Quicksort, 738-741
QuizDataConversion program, 88
QuizStrings program, 125

R

Radian, 134
 RAM, 5, 6
 Random class, 200, 871-872, 876, 965
 Random number, 138
RandomInt program, 138
RandomMultiWalk program, 503
RandomTest program, 200
RandomTwoWalk program, 303
RandomWalk program, 298
RandomWalk2 program, 430
ReadAndSum program, 301
ReadName program, 163
ReadNameStdin program, 166
ReadNameStdin2 program, 167
Ready to Program, xx
 installing for institutional use, 991-993
 installing for personal use, 989-991
 license agreement, 1010-1012
 system requirements, 989
 using, 994-1006
 Record, 682
 Recursion, 621-646
 binary, search, 670-679
 mutual, 632-639
 tracing execution of, 624-627

Recursive algorithm, 621
 Recursive sort, 732, 738
 Reference data type, 119, 193-195, 364
 Reference, 195, 754
 Register, 5
 Related array, 523-530, 543
 Relational operator, 125
 Release, 43
 Remainder, 104
RemovePunc program, 443
RemoveT program, 867
 Removing,
 element from an array, 545-548
 item from a `List`, 867
 node from a Binary Search Tree, 838
 node from a linked list, 769-774
 Replacing text (in the editor), 1005
 Reserved word, 63, 951
return statement, 431
 Return, 131
 Reusability, 418
Reverse program, 383
ReverseNames program, 518
ReverseNumbers program, 516
Reverser program, 914
 Root, 809
Rounding program, 132
 Rounding, 87, 131
 Rule of Ten, 43
 Running a program, 1001
 Run-time error, 34, 140, 383, 455, 921
RuntimeException, 965

S

Safe computer use, 26
SalesReport1 program, 557
 Saving a program (in the editor), 9984
 School, computer use in, 23
 Scope, 424
 SCSI port, 8, 9
 Search, binary, 670-679
 Searching, 649-716
 binary, 670-679
 tracing execution of, 672-675
 binary search tree, 830
 for a string in a string, 395
 for characters in a string, 390-395

Searching (continued)
 linear, 649-655
 linked list, 755-762
SearchTree program, 831
 Secondary memory, 7
SeeHanoi program, 632
 Selection construct, 235-265
 Selection sort, 723-728
SelectionSort program, 726
 Sentinel value, 294
 Separate compilation, 31
SeparateEWords program, 669
 Sequential execution, 281
 Serial port, 9
 Server, 14
 Service, 14
 Set, 881
 Set (in Java class library), 881
 Set **interface**, 882-887, 965
 interface, 882, 965
 Shift, 721, 729
 Short circuit evaluation, 129, 737
short data type, 76
 Sibling, 810
 Sieve of Eratosthenes, 883
 Signature, 201
 of static method, 213
 SIMM, 6
SimplePhoneBook class, 536-538
 interface, 536
 Simulation, 12
 of a bank, 928-940
SinCos program, 135
 Sine, 134
Sines program, 292
 Single inheritance, 680
 Single user system, 12
 Social issues, 17-23
 Software life cycle, 41-44
 Software, 10-12
 piracy, 17
 Sorted linked list, 766, 778
SortedIterator class, 775, 778
 interface, 776
SortedLinkedList class, 778
SortedPhoneBook class, 539-548
SortedPhoneBookExample program, 548

- Sorting, 719-748
 - heapsort, 843-854
 - insertion, 728-732
 - merge sort, 732-737
 - quicksort, 738-741
 - selection, 723-728
- SortNumbers* program, 871
- SortThree* program, 377
- SortUtil* class, 721
- Source code, 31
- Special character, 120
- Specification, 42
 - definition, 42
 - of *BankArrayTest*, 530
 - of *BankTest3*, 490
 - of *Birthplace*, 684
 - of *FindThe*, 399
 - of *Mortgage*, 341
 - of *PhoneBookExample*, 324
- Speed (of algorithm), 653-657
 - of binary search, 678
 - of hashing, 713, 715
 - of heapsort, 852
 - of insertion sort, 731
 - of linear search, 653, 656
 - of quicksort, 741
 - of selection sort, 727
- Splitting, 733
- Spreadsheet, 12
- Square root, 135
- Squares2* program, 219
- SquareSquareRoot* program, 286
- Stack dump, 455-458
- Stack* **interface** (AP class), 913-921
 - interface, 913, 921
- Stack (memory), 425-428
- Stack (data structure), 911-920
- Stack*, 971
- StackExample* program, 914
- Standard input, 158
- Standard output, 158
- `startsWith` method (String class), 200
- static** method, 213, 420
- Stdin* class, 165-170, 973
- Stdout* class, 218-223, 539, 973
 - interface, 218, 973
 - formatting floating-point numbers with, 220
- Stdout* class (continued)
 - formatting integers with, 219
 - formatting output with, 217-223
 - formatting strings with, 221
- Step-wise refinement, 323-361
- Storage device, 7
- String class, 118-125, 365-403, 966
 - `charAt` method, 382-386
 - `compareTo` method, 374-381
 - `compareToIgnoreCase` method, 381
 - `equals` method, 371-374
 - `equalsIgnoreCase` method, 374, 946
 - `indexOf` method, 390-397
 - interface, 397, 966
 - `length` method, 381
 - miscellaneous methods, 397-399
 - `startsWith` method, 200
 - `substring` method, 386-390
 - testing for equality, 370-374
- String, 118, 363-403
 - construction, 404
 - expression, 121
 - literal, 365-366
 - tokenizing, 409-412
- StringBuffer class, 404-409, 967
 - interface, 405, 967
- StringIndexOutOfBoundsException, 383
- StringMethods* program, 398
- StringTokenizer class, 409-412, 968
 - interface, 410, 968
- Structured programming, 45
- StudentHash* program, 707
- Style, 180-184
 - guideline, 183
- Subprogram, 417
- Subroot, 810
- `substring` method (String class), 386-390
- Subtraction, 104
- Subtree, 810
- Successive refinement, 324
- super**, 578, 579, 605
- Supercomputer, 2
- Swap, 721, 725, 738
- switch** construct, 259-265
 - example of, 493, 678, 879, 891, 905
- Symbolic addressing, 36

Syntax coloring, 998
 Syntax error, 34
 System console, 157
 System, 968
 System.currentTimeMillis method, 745, 886
 System.in, 162-165
 System.out object, 159
 System.out.print method, 67
 System.out.println method, 67

T

Tab, 120
 Tail,
 of a linked list, 785
 of a queue, 923
 Tangent, 134
 TCP/IP, 16
 Teacher's manual, xxi
 Template, 68
 Terabyte, 7
 Term deposit, 175
TermDeposit program 175-180
TermDeposit3 program, 225
TermDeposit4 program, 287
 Terminal, 13
 Termination value, 283
 Test case, 336
 Test suite, 42
TestGetStudentMarks program, 449
 Testing, 42, 336-340
 of *Mortgage* program, 355-361
TestLink program, 757
TestPhoneBook1 program, 199
TestPhoneBook2 program, 244
 Text input, 162-170
 Text output, 157-161
 formatted, 216-231
TextInputFile, 982
TextOutputFile, 983
this, 470, 471, 643
throw statement, 922
 Throwing an exception, 921
TicketPrice program, 237
TimesTable program, 306
 Timing (program execution), 886
 Token, 409

Toolkit class, 968
 Top-down program design, 323-361, 418
 toString method, 662
 Towers of Hanoi, 628-632
 Tracing execution, 109, 250, 450-455
 example
 of *BankTest3*, 484-489
 of *binarySearch*, 672-675
 of *CountE*, 392-394
 of *DayOfYear*, 526-530
 of *Hanoi*, 624-627
 of *MethodTest*, 431-434
 of *NumDigits*, 250-252
 of *QuizDataConversion*, 93-95
 of *Reverse*, 384-386
 of *TimesTable*, 307-309
 of binary search, 672-675
 of **for** loop, 289-290
 of method calls, 431-434
 of multiple classes, 484-489
 of nested loops, 307-309
 of program using array, 526-530
 of program using charAt method, 384-386
 of program using concatenation, 392-394
 of recursion, 624-627
 of sorting, 720, 726-727, 731, 740, 741, 850-851
 Traversal of a tree, 820-822
 Tree, 807-855
 balanced, 828
 binary search, 826-843
 binary, 811-820
 creating, 818
 degenerate, 828
 display in window, 819
 empty, 809
 terminology, 809-811
 traversal, 820-822
TreeDelete program, 840
TreeInsert program, 837
 TreeMap class, 889, 969
 TreeNode class (AP class), 811, 970
 TreeSet class, 883, 969
 TreeUtil class, 818-819, 981
 interface, 818, 981
TreeValue class, 829
 Trigonometry, 134

Trojan horse, 25
 TRS-80, 947
true, 75, 125
try, 636
 Turing, 41
 Two-dimensional array, 552-563
 accessing elements, 554
 creating, 553
 declaring, 552
 Typeface, 602

U

UKAccount class, 578
 Unary operator, 105
 Unicode, 376
 Uninitialized variable, 85
 Unit testing, 337, 448
 Unix, 11
 UNIX, 37
 Unusual case, 339, 355
 USB port, 9
 Use diagram, 775, 795
 User interface, 11

V

Value part, 752
 Value, 682
 Variable, 70-78
 class, 445-448
 naming, 71
 instance, 467
 uninitialized, 85
 Video port, 9
 Virtual machine, 32
 Virus, 24
VisibleHanoi class, 631, 980
 interface, 631, 980
 Visual Basic, 41
 Visual sorting, 741-747
VisualHeapSort program, 853
VisualInsertionSort program, 744
VisualMergeSort program, 745
VisualQuickSort program, 746
VisualSelectionSort program, 743
VisualSortUtil class, 742, 980
 interface, 742, 980

W

WarmerColder program, 437
 Web server, 2, 12
while loop, 293-296
 Width (of a tree), 811
 Algorithm for, 816
 Word processing, 12
 Workstation, 2
 Worm, 24
 Worst case performance, 741
 Wrapper class, 663-668, 754, 786